

Spatial and temporal distribution of the malaria mosquito Anopheles arabiensis in northern Sudan: Influence of environmental factors and implications for vector control

Author(s): Ageep TB, Cox J, Hassan MM, Knols BG, Benedict MQ, Malcolm CA, Babiker A,

El Sayed BB

Year: 2009

Journal: Malaria Journal. 8 (1): 123

Abstract:

BACKGROUND: Malaria is an important public health problem in northern Sudan, but little is known about the dynamics of its transmission. Given the characteristic low densities of Anopheles arabiensis and the difficult terrain in this area, future vector control strategies are likely to be based on area-wide integrated pest management (AW-IPM) that may include the sterile insect technique (SIT). To support the planning and implementation of future AW-IPM activities, larval surveys were carried out to provide key data on spatial and seasonal dynamics of local vector populations. METHODS: Monthly cross-sectional larval surveys were carried out between March 2005 and May 2007 in two localities (Dongola and Merowe) adjacent to the river Nile. A stratified random sampling strategy based on the use of Remote Sensing (RS), Geographical Information Systems (GIS) and the Global Positioning System (GPS) was used to select survey locations. Breeding sites were mapped using GPS and data on larval density and breeding site characteristics were recorded using handheld computers. Bivariate and multivariate logistic regression models were used to identify breeding site characteristics associated with increased risk of presence of larvae. Seasonal patterns in the proportion of breeding sites positive for larvae were compared visually to contemporaneous data on climate and river height. RESULTS: Of a total of 3,349 aguatic habitats sampled, 321 (9.6%) contained An. arabiensis larvae. The frequency with which larvae were found varied markedly by habitat type. Although most positive sites were associated with temporary standing water around the margins of the main Nile channel, larvae were also found at brickworks and in areas of leaking pipes and canals - often far from the river. Close to the Nile channel, a distinct seasonal pattern in larval populations was evident and appeared to be linked to the rise and fall of the river level. These patterns were not evident in vector populations breeding in artificial water sources away from the river. CONCLUSION: The GIS-based survey strategy developed in this study provides key data on the population dynamics of An. arabiensis in Northern State. Quantitative estimates of the contributions of various habitat types and their proximity to settlements provide a basis for planning a strategy for reducing malaria risk by elimination of the vector population.

Source: http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2698915

Resource Description

Exposure: M

weather or climate related pathway by which climate change affects health

Climate Change and Human Health Literature Portal

Ecosystem Changes, Food/Water Quality, Temperature

Food/Water Quality: Other Water Quality Issue

Water Quality (other): Salinity

Geographic Feature: M

resource focuses on specific type of geography

Freshwater

Geographic Location: **☑**

resource focuses on specific location

Non-United States

Non-United States: Africa

African Region/Country: African Country

Other African Country: Sudan

Health Impact: M

specification of health effect or disease related to climate change exposure

Infectious Disease

Infectious Disease: Vectorborne Disease

Vectorborne Disease: Mosquito-borne Disease

Mosquito-borne Disease: Malaria

Intervention: M

strategy to prepare for or reduce the impact of climate change on health

A focus of content

mitigation or adaptation strategy is a focus of resource

Adaptation

Resource Type: M

format or standard characteristic of resource

Research Article

Timescale: M

time period studied

Time Scale Unspecified

Vulnerability/Impact Assessment: N

Climate Change and Human Health Literature Portal

resource focus on process of identifying, quantifying, and prioritizing vulnerabilities in a system A focus of content